

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 28-Oct-2009

Revision Date 18-Oct-2023

**Revision Number** 20

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier	
Product Description: Cat No. : Synonyms	<u>Hydrogen peroxide 100 volumes &gt;30% w/v</u> H/1750/15, H/1750/17, H/1750/21X, H/1750/99, H/175 Hydrogen Dioxide; Peroxide; Carbamide Peroxide
Unique Formula Identifier (UFI)	2G3U-QMP7-WU1W-UKN8
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Recommended Use Sector of use Product category Process categories Environmental release category Uses advised against	Laboratory chemicals. SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites PC21 - Laboratory chemicals PROC15 - Use as a laboratory reagent ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates) No Information available
1.3. Details of the supplier of the sa	afety data sheet
Company	UK entity/business name Fisher Scientific UK Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom EU entity/business name Thermo Fisher Scientific Janssen Pharmaceuticalaan 3a 2440 Geel, Belgium
E-mail address	begel.sdsdesk@thermofisher.com
1.4. Emergency telephone number	Tel: 01509 231166 Chemtrec US: (800) 424-9300 Chemtrec EU: 001-703-527-3887
Poison Centre - Emergency information services	Ireland : National Poisons Information Centre (NPIC) - 01 809 2166 (8am-10pm, 7 days a week) Malta : +356 2395 2000 Cyprus : +357 2240 5611
	SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

#### **Physical hazards**

Oxidizing liquids

#### Health hazards

Acute oral toxicity Acute Inhalation Toxicity - Dusts and Mists Serious Eye Damage/Eye Irritation

#### **Environmental hazards**

Based on available data, the classification criteria are not met

Category 2 (H272)

Category 4 (H302) Category 4 (H332) Category 1 (H318)

#### Full text of Hazard Statements: see section 16

# 2.2. Label elements

**Signal Word** 

Danger

#### **Hazard Statements**

H272 - May intensify fire; oxidizer H302 + H332 - Harmful if swallowed or if inhaled H318 - Causes serious eye damage

#### **Precautionary Statements**

P220 - Keep away from clothing and other combustible materials
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor/physician

#### 2.3. Other hazards

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT) This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

This product does not contain any known or suspected endocrine disruptors

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

Component CAS NO EC NO Weight % CLP Classification - According to	Component	CAS No	EC No	Weight %	CLP Classification - According to
---	-----------	--------	-------	----------	-----------------------------------

#### Hydrogen peroxide 100 volumes >30% w/v

#### Revision Date 18-Oct-2023

				GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Hydrogen peroxide	7722-84-1	231-765-0	20 - 35	Ox. Liq. 1 (H271) Acute Tox. 4 (H302) Acute Tox. 4 (H332) Skin Corr. 1A (H314) Eye Dam. 1 (H318) STOT SE 3 (H335) Aquatic Chronic 3 (H412)
Water	7732-18-5	231-791-2	65 - 80	-

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Hydrogen peroxide	Ox. Liq. 1 :: C>=70% Ox. Liq. 2 :: 20%<=C<70% Ox. Liq. 3 :: 8%<=C<20% Skin Corr. 1A :: C>=70% Skin Corr. 1B :: 50%<=C<70% Eye Dam. 1 :: >=8%C<50% Eye Irrit. 2 :: 5%<=C<8% Skin Irrit. 2 :: 35%<=C<50% STOT SE 3 :: C>=35% Aquatic Chronic 3 :: C>=63%	-	-

Components	Reach Registration Number	
Hydrogen peroxide	01-2119485845-22	

#### Full text of Hazard Statements: see section 16

## **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

General Advice	If symptoms persist, call a physician.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
4.0 Martine and and an and	offects both couts and delayed

#### 4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable. Causes eye burns.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

#### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Use water spray or fog; do not use straight streams.

#### Extinguishing media which must not be used for safety reasons

Dry chemical. Carbon dioxide (CO 2).

#### 5.2. Special hazards arising from the substance or mixture

Corrosive material. Containers may explode when heated. Oxidizer: Contact with combustible/organic material may cause fire. In the event of fire and/or explosion do not breathe fumes. Thermal decomposition can lead to release of irritating gases and vapors. May ignite combustibles (wood paper, oil, clothing, etc.).

#### **Hazardous Combustion Products**

Hydrogen, Oxygen.

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Do not use steel or aluminum tools or equipment

#### 6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Ensure adequate ventilation.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. To maintain product quality. Keep refrigerated. Protect from direct sunlight. Do not store in metal containers. Containers should be vented periodically in order to overcome pressure buildup. Do not store near combustible materials.

Technical Rules for Hazardous Substances (TRGS) 510 Class Storage Class (LGK) (Germany)

Class 5.1B

#### 7.3. Specific end use(s)

Use in laboratories

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

#### Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE -** 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

Component	The United Kingdom	European Union	Ireland
Hydrogen peroxide	STEL: 2 ppm 15 min		TWA: 1 ppm 8 hr.
	STEL: 2.8 mg/m <sup>3</sup> 15 min		TWA: 1.5 mg/m <sup>3</sup> 8 hr.
	TWA: 1 ppm 8 hr		STEL: 3 mg/m <sup>3</sup> 15 min
	TWA: 1.4 mg/m <sup>3</sup> 8 hr		STEL: 2 ppm 15 min

#### Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

Workers; See table for values

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Hydrogen peroxide 7722-84-1(20 - 35)	DNEL = 3mg/m <sup>3</sup>		DNEL = 1.4mg/m <sup>3</sup>	

#### Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Microorganisms in sewage treatment	Soil (Agriculture)
Hydrogen peroxide 7722-84-1(20 - 35)	PNEC = 0.0126mg/L	PNEC = 0.047mg/kg sediment dw	PNEC = 4.66mg/L	PNEC = 0.0023mg/kg soil dw

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Hydrogen peroxide	PNEC =	PNEC =			
7722-84-1(20-35)	0.0126mg/L	0.047mg/kg			
		sediment dw			

#### 8.2. Exposure controls

#### Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in

#### Hydrogen peroxide 100 volumes >30% w/v

#### confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal	prote	ctive	equipment	

Eye Protection	Goggles (European standard - EN 166)				
Hand Protection	n Protective gloves				
Glove material Butyl rubber Neoprene Natural rubber Nitrile rubber	Breakthrough time > 480 minutes > 480 minutes > 480 minutes > 480 minutes	Glove thickness 0.35 mm 0.45 mm 0.5 mm 0.1 - 0.2 mm	EU standard EN 374	Glove comments (minimum requirement)	

Long sleeved clothing.

0.3 mm

Inspect gloves before use.

Viton (R)

Skin and body protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

> 480 minutes

Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced <b>Recommended Filter type:</b> Particulates filter conforming to EN 143 Inorganic gases and vapours filter Type B Grey conforming to EN14387
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. <b>Recommended half mask:-</b> Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted
Environmental exposure controls	Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Physical State	Liquid	
Appearance	Colorless	
Odor	Slight	
Odor Threshold	No data available	
Melting Point/Range	-33 °C / -27.4 °F	
Softening Point	No data available	
Boiling Point/Range	108 °C / 226.4 °F	@ 760 mmHg
Flammability (liquid)	No data available	
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	No data available	
Flash Point	No information available	Method - No information available

**FSUH1750** 

No data available

Autoignition Temperature	no dala avaliable	
Decomposition Temperature	> 125°C	
рН	3.3	
Viscosity	No data available	
Water Solubility	Soluble	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/	vater)	
Component	log Pow	
Hydrogen peroxide	-1.1	
Vapor Pressure	No data available	
Density / Specific Gravity	1.110	
Bulk Density	Not applicable	Liquid
Vapor Density	1.10	(Air = 1.0)
Particle characteristics	Not applicable (liquid)	
9.2. Other information		
Explosive Properties	Not explosive	
Oxidizing Properties	Oxidizer	
Evaporation Rate	1.0 (Butyl acetate = 1.0)	
	SECTION 10: STABILITY	( AND REACTIVITY
10.1. Reactivity	Yes	
10.2. Chemical stability		
Totz: Onemical Stability	Sensitivity to light. Oxidizer: C	ontact with combustible/organic material may cause fire.
10.3. Possibility of hazardous re	actions	
Hazardous Polymerization	Hazardous polymerization doe	
Hazardous Reactions	None under normal processin	g.
10.4. Conditions to avoid		

Incompatible products. Excess heat. Exposure to light. Combustible material.

10.5. Incompatible materials

Strong oxidizing agents. Metals. Reducing Agent. Alcohols. Ammonia. copper. Copper alloys. lead oxides. Cyanides. Sulfides. Lead. Acetone. Aluminium. . Strong reducing agents. Combustible material. Zinc.

#### 10.6. Hazardous decomposition products

Hydrogen peroxide 100 volumes >30% w/v

Autoignition Temperature

Hydrogen. Oxygen.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

(a) acute toxicity; Oral Dermal Inhalation

Category 4 No data available Category 4

#### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation				
Hydrogen peroxide	376 mg/kg ( Rat ) (90%) 910 mg/kg ( Rat ) (20-60%)	>2000 mg/kg (Rabbit)	LC50 = 2000 mg/m <sup>3</sup> (Rat) 4 h				
	1518 mg/kg (Rat) (8-20% sol)						
Water	-	-	-				
(b) skin corrosion/irritation;	No data available						
(c) serious eye damage/irritation;	Category 1 Bridging principle "Dilution"						
(d) respiratory or skin sensitization Respiratory Skin	No data available No data available						
(e) germ cell mutagenicity;	No data available						
(f) carcinogenicity;	No data available						

There are no known carcinogenic chemicals in this product

- (g) reproductive toxicity; No data available
- (h) STOT-single exposure; No data available
- (i) STOT-repeated exposure; No data available
- Target OrgansNo information available.

(j) aspiration hazard; Based on available data, the classification criteria are not met

Symptoms / effects,both acute and No information available. delayed

#### 11.2. Information on other hazards

```
Endocrine Disrupting Properties
```

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity Ecotoxicity effects

Contains a substance which is:. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Hydrogen peroxide	LC50: 16.4 mg/L/96h	EC50 7.7 mg/L/24h	EC50 2.5 mg/L/72h
	(P.promelas)		

#### Hydrogen peroxide 100 volumes >30% w/v

12.2. Persistence and degradability Persistence Degradability Degradation in sewage treatment plant	Readily biodegradable Persistence is unlikely, Decomposes, Soluble in water, based on information available. Not relevant for inorganic substances. No inhibition of bacteria is expected if properly introduced into a biological treatment facility. Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.				
12.3. Bioaccumulative potential	Bioaccumulation is unlikely				
Component	log Pow	<b>Bioconcentration factor (BCF)</b>			
Hydrogen peroxide	-1.1	No data available			
<u>12.4. Mobility in soil</u> 12.5. Results of PBT and vPvB	The product is water soluble, and may spread environment due to its water solubility. Highly This preparation contains no substance consid	mobile in soils			
assessment	This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).				
<u>12.6. Endocrine disrupting</u> <u>properties</u> Endocrine Disruptor Information	This product does not contain any known or su	ispected endocrine disruptors			
<u>12.7. Other adverse effects</u> Persistent Organic Pollutant Ozone Depletion Potential	This product does not contain any known or su This product does not contain any known or su				

## **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Waste from Residues/Unused Products	Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point.
European Waste Catalogue (EWC)	According to the European Waste Catalog, Waste Codes are not product specific, but application specific.
Other Information	Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not let this chemical enter the environment.

## **SECTION 14: TRANSPORT INFORMATION**

#### IMDG/IMO

14.1. UN number	UN2014
14.2. UN proper shipping name	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
14.3. Transport hazard class(es)	5.1
Subsidiary Hazard Class	8
14.4. Packing group	II

#### <u>ADR</u>

<u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> Subsidiary Hazard Class <u>14.4. Packing group</u>	UN2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION 5.1 8 II
<u>IATA</u>	
<u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> Subsidiary Hazard Class <u>14.4. Packing group</u>	UN2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION 5.1 8 II
14.5. Environmental hazards	No hazards identified
14.6. Special precautions for user	No special precautions required.
14.7. Maritime transport in bulk according to IMO instruments	Not applicable, packaged goods

## **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Hydrogen peroxide	7722-84-1	231-765-0	-	-	Х	Х	KE-20204	Х	Х
Water	7732-18-5	231-791-2	-	-	Х	Х	KE-35400	Х	-

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Hydrogen peroxide	7722-84-1	Х	ACTIVE	Х	-	Х	Х	Х
Water	7732-18-5	Х	ACTIVE	Х	-	Х	Х	Х

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Hydrogen peroxide	7722-84-1	-	Use restricted. See item 75. (see link for restriction details)	-
Water	7732-18-5	-	-	-

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

#### Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Hydrogen peroxide	7722-84-1	Not applicable	Not applicable
Water	7732-18-5	Not applicable	Not applicable

## Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

#### **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

#### WGK Classification

Water endangering class = 1 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Hydrogen peroxide	WGK1	

#### 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

#### **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H332 - Harmful if inhaled

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

#### Legend

CAS - Chemical Abstracts Service	TSCA - United States Toxic Substances Control Act Section 8(b)
	Inventory
EINECS/ELINCS - European Inventory of Existing Commercial Chemical	DSL/NDSL - Canadian Domestic Substances List/Non-Domestic
Substances/EU List of Notified Chemical Substances	Substances List
PICCS - Philippines Inventory of Chemicals and Chemical Substances	ENCS - Japanese Existing and New Chemical Substances
IECSC - Chinese Inventory of Existing Chemical Substances	AICS - Australian Inventory of Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances	NZIOC - New Zealand Inventory of Chemicals

#### Hydrogen peroxide 100 volumes >30% w/v

WEL - Workplace Exposure Limit		TWA - Time Weighted Average			
ACGIH - American Conference of Governmental Industrial Hygienists		IARC - International Agency for Research on Cancer			
DNEL - Derived No Effect Level		Predicted No Effect Concentration (PNEC)			
<b>RPE</b> - Respiratory Protective Equipment		LD50 - Lethal Dose 50%			
LC50 - Lethal Concentration 50%		EC50 - Effective Concentration 50%			
NOEC - No Observed Effect Concentration		POW - Partition coefficient Octanol:Water			
<b>PBT</b> - Persistent, Bioaccumulative, Toxic		vPvB - very Persistent, very Bioaccumulative			
ADR - European Agreement Concerning the International Carriage of		ICAO/IATA - International Civil Aviation Organization/International Air			
Dangerous Goods by Road		Transport Association			
IMO/IMDG - International Maritime Organization/International Maritime		MARPOL - International Convention for the Prevention of Pollution from			
Dangerous Goods Code		Ships			
<b>OECD</b> - Organisation for Economic Co-operation and Development		ATE - Acute Toxicity Estimate			
BCF - Bioconcentration factor		<b>VOC</b> - (Volatile Organic Compound)			
Key literature references and sources	s for data				
https://echa.europa.eu/information-on-chemicals					
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS					
Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:					
•					
··· <b>·</b>	On basis of test data				
Health Hazards	Calculation method				
Environmental hazards	Calculation method				

Training Advice Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hydiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Creation Date	28-Oct-2009
Revision Date	18-Oct-2023
Revision Summary	Not applicable.

# This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## End of Safety Data Sheet